

BY TURAN BEKISOGLU



HARDSCAPE CATALOG







CREATED BY NATURE.

























ABOUT US

Marmiro Stones® has been revolutionizing the future of natural stone since it was founded by Moe Arpacilar and Turgut Bekisoglu in 2000. We pride ourselves in following our core values, allowing us to provide products and services to our clients with honesty, innovation, and passion by working together as one.

From Turan Bekisoglu's family-owned quarries and factories in Turkey since 1959, to our modern facilities in the New York metropolitan area, Marmiro Stones® is an industry vanguard, servicing both residential and commercial clientele worldwide.

With multiple distribution centers conveniently located on the East Coast, we provide quick turnaround for pickups and deliveries for our customers. Our team is proud to offer mobile sales services, allowing convenience and support to any project at any location. If you live near one of our design studios, we welcome you to experience a one-on-one complimentary design session. Our state of the art fabrication shop allows for continued customization, as our goal is to stay up to date with the newest trends and technologies.

Our products are a passionate part of who we are. At Marmiro Stones®, we are with you every step of the way. From the moment the stone is selected, designed, fabricated, and installed, to the finished product, we are proud to be a part of your design for many years to come.



CREMA EDA® MARBLE

A NEUTRAL, CREAMY BEIGE TO MATCH ANY COLOR PALETTE.



ANTIQUED PAVERS



SANDBLASTED PAVERS



BULLNOSE COPING
*ALSO AVAILABLE IN STRAIGHT EDGE



BAMBOO VENEER



SPLITFACE VENEER
*CORNERS AVAILABLE



ANTIQUED DRIVEWAY PAVERS
*ALSO AVAILABLE IN RECLAIMED



SPLITFACE WALL BLOCKS

PAVER SIZES

8"x16"x1 3/16" • 16"x24"x1 3/16" 24"x24"x1 3/16" 8" French Pattern x1 3/16"

COPING & TREAD SIZES

12"x24"x1 3/16" • 12"x24"x2.25" • 12"x36"x2.25" • 12"x48"x2.25" • 12"x72"x2.25"
14"x36"x2.25" • 14"x48"x2.25" • 14"x72"x2.25" • 16"x24"x2.25" • 16"x36"x2.25"
16"x48"x2.25" • 24"x24"x2.25" • 24"x36"x2.25" • 24"x48"x2.25"

BAME	300	SIZE

12"x 24" x 5/8"

SPLITFACE SIZES

4" H x Random • 3"H x Random 3"-6"-9" H x Random

DRIVEWAY PAVERS SIZES

WALL BLOCK SIZE

6" H x 8" D x Random

DIMENSIONAL TREAD SIZE

14"W x 48"L x 6"H

SLAB OPTIONS AVAILABLE - SIZES AND FINISHES VARY.









CREMA EDA® ROSA ANTIQUED PAVERS, CAPS & SPLITFACE VENEER

CREMA EDA®ROSA MARBLE

A CREAMY BEIGE WITH WISPS OF RED VEINS.



ANTIQUED PAVERS



SANDBLASTED PAVERS



BULLNOSE COPING
*ALSO AVAILABLE IN STRAIGHT EDGE



ANTIQUED DRIVEWAY PAVERS

*ALSO AVAILABLE IN RECLAIMED



*CORNERS AVAILABLE



BAMBOO VENEER

PAVER SIZES

16"x24"x1 3/16" • 24"x24"x1 3/16" 8" French Pattern x 1 3/16"

COPING & TREAD SIZES

12"x24"x2.25" • 12"x36"x2.25" • 12"x48"x2.25" • 12"x72"x2.25"

14"x36"x2.25" • 14"x72"x2.25" • 14"x48"x2.25" • 16"x24"x2.25" • 16"x36"x2.25"


16"x48"x2.25" • 24"x24"x2.25" • 24"x36"x2.25" • 24"x48"x2.25"


DRIVEWAY	PAVERS SIZES

6"x12"x2.25" • Gateway Pattern®

BAMBOO SIZE	SPLITFACE SIZE
12"x24"x5/8"	4" H x Random











AFYON CLOUD® MARBLE

A BLEND OF LIGHT AND DARK GRAYS TO MATCH THE PUFFY CLOUDS IN THE SKY.




ANTIQUED PAVERS



SANDBLASTED PAVERS



STRAIGHT EDGE COPING *ALSO AVAILABLE IN BULLNOSE



BAMBOO VENEER



SPLITFACE VENEER
*CORNERS AVAILABLE



WAVE VENEER



RECLAIMED DRIVEWAY PAVERS
*ALSO AVAILABLE IN ANTIQUED



DIMENSIONAL TREADS

PAVER SIZES

16"x24"x1 3/16" • 24"x24"x1 3/16" • 24"x36"x1 3/16" 24"x48"x1 3/16" • 8" French Pattern x 1 3/16" 12" Washington Pattern x 1 3/16"

COPING & TREAD SIZES

12"x24"x13/16" • 16"x24"x13/16" • 12"x24"x2.25" • 12"x48"x2.25" 12"x36" x 2.25" • 12"x72" x 2.25" • 14"x48"x2.25" • 14"x72" x 2.25" 14"x36" x 2.25" • 16"x36" x 2.25" • 16"x24"x2.25" • 16"x48" x 2.25" 24"x24" x 2.25" • 24"x36" x 2.25" • 24"x48" x 2.25"

12"x24"x5/8"

SPLITFACE SIZES

3" H x Random • 4" H x Random 3"-6"-9" H x Random

WAVE SIZE

11"x22"x13/16"

DRIVEWAY PAVER SIZES

6"x12"x2.25" • Gateway Pattern_®


DIMENSIONAL TREAD SIZE

14"W x 48"L x 6"H











DEEP BLUE® MARBLE

A DEEP BLUISH GRAY WITH UNIQUE PATTERN CHARACTERISTICS.



ANTIQUED PAVERS



SANDBLASTED PAVERS



STRAIGHT EDGE COPING *ALSO AVAILABLE IN BULLNOSE



BAMBOO VENEER



SPLITFACE VENEER
*CORNERS AVAILABLE



RECLAIMED DRIVEWAY PAVERS
*ALSO AVAILABLE IN ANTIQUED



SPLITFACE WALL BLOCKS



IRREGULAR TREADS



DIMENSIONAL TREADS

PAVER SIZES

8"x16"x1 3/16" • 16"x24"x1 3/16" • 24"x24"x1 3/16" • 24"x36"x1 3/16" 24"x48"x1 3/16" • 8" French Pattern x1 3/16" • 12" Washington Pattern x1 3/16"

BAMBOO SIZE

12"x24"x5/8"

SPLITFACE SIZE

3" H x Random 4"H x Random

COPING & TREAD SIZES

12"x24"x13/16" • 16"x24"x13/16" • 12"x24"x2.25" • 12"x48"x2.25" 12"x72" x 2.25" • 14"x48"x2.25" • 14"x72" x 2.25" • 16"x24"x2.25" 16"x48" x 2.25" • 24"x24" x 2.25" • 24"x36" x 2.25" • 24"x48" x 2.25"

DRIVEWAY PAVER SIZES

6"x12"x2.25" • Gateway Pattern_®

WALL BLOCK SIZE

6"H x 8"D x Random

IRREGULAR TREAD SIZE

15"-24"W x 42"-48"L x 6"H

DIMENSIONAL TREAD SIZE

14"W x 48"L x 6"H

SLAB OPTIONS AVAILABLE - SIZES AND FINISHES VARY.













TITANIUM MARBLE

SWIRLS OF LIGHT & DARK GRAY WITH HINTS OF WHITE.



SANDBLASTED PAVERS



STRAIGHT EDGE COPING *ALSO AVAILABLE IN BULLNOSE



BAMBOO VENEER

PAVER SIZES

16" x24" x1 3/16" 8" French Pattern x 1 3/16"

COPING & TREAD SIZES


12"x24"x2.25" • 12"x48"x2.25" • 14"x48"x2.25" 16"x24"x2.25" • 16"x48"x2.25" • 24"x24"x2.25" • 24"x36"x2.25"

BAMBOO SIZES

12"x24"x5/8"

SLAB OPTIONS AVAILABLE - SIZES AND FINISHES VARY.





CREMA OLIVA® LIMESTONE

A CREAMY GRAY LIMESTONE WITH, SAGE UNDERTONES, AND SPECKLED WITH FOSSILS.



ANTIQUED PAVERS



SANDBLASTED PAVERS



BAMBOO VENEER



ANTIQUED DRIVEWAY PAVERS
*ALSO AVAILABLE IN RECLAIMED



STRAIGHT EDGE COPING *ALSO AVAILABLE IN BULLNOSE



BUSH HAMMERED CUSTOM ORDER ONLY (NON-STOCK)



FLAMED CUSTOM ORDER ONLY (NON-STOCK)

PAVER SIZES

12"x24"x1 3/16" • 16"x24"x1 3/16" • 24"x24"x1 3/16" 24"x36"x1 3/16" • 24"x48"x1 3/16" 8" French Pattern x 1 3/16"

COPING & TREAD SIZES

12"x48"x2.25" • 12"x72"x2.25" • 14"x48"x2.25" • 14"x72"x2.25" 16"x48"x2.25" • 24"x24"x2.25" • 24"x36"x2.25" • 24"x48"x2.25"

BAMBOO SIZES

12"x 24" x 5/8"

DRIVEWAY PAVER SIZES

6"x12"x2.25" • Gateway Pattern®











ORCCA® LIMESTONE

A CHARCOAL GREY WITH BOLTS OF WHITE VEINS THROUGHOUT.



VINTAGE PAVERS



STRAIGHT EDGE COPING *ALSO AVAILABLE IN BULLNOSE



SPLITFACE VENEER
*CORNERS AVAILABLE



VINTAGE DRIVEWAY PAVERS
*ALSO AVAILABLE IN ANTIQUED

PAVER SIZES

8"x16"x1 3/16" • 16"x24"x1 3/16" 8" French Pattern x 1 3/16"

COPING & TREAD SIZES

12"x24"x2.25" • 12"x48"x2.25" • 14"x48"x2.25" 16"x24"x2.25" • 16"x48"x2.25" • 24"x24"x2.25"

SPLITFACE SIZES

4" H x Random • 3"-6"-9" H x Random

DRIVEWAY PAVER SIZES

6"x12"x2.25" • Gateway Pattern_®









TERRA TRAVERTINE

A RUSTIC VARIATION OF LIGHT AND DARK BROWNS AND TANS.



ANTIQUED PAVERS



STRAIGHT EDGE COPING *ALSO AVAILABLE IN BULLNOSE



*CORNERS AVAILABLE



ANTIQUED DRIVEWAY PAVERS
*ALSO AVAILABLE IN RECLAIMED



SPLITFACE WALL BLOCKS

PAVER SIZES

8"x16"x1 3/16" • 16"x24"x1 3/16" • 24"x24"x1 3/16" • 24"x36"x1 3/16" 8" French Pattern x 1 3/16" • 12" Washington Pattern x 1 3/16"

COPING & TREAD SIZES

12"x24"x13/16" • 16"x24"x13/16" • 6"x12"x2.25" • 12"x24"x2.25" • 12"x48"x2.25" 14"x48"x2.25" • 16"x24"x2.25" • 16"x48"x2.25" • 24"x24"x2.25" • 24"x36"x2.25"

SPLITFACE SIZES

4" H x Random • 3"-6"-9" H x Random


DRIVEWAY PAVER SIZES

6"x12"x 2.25" • Gateway Pattern_®

WALL BLOCK SIZE

6" H x 8" D x Random

SLAB OPTIONS AVAILABLE - SIZES AND FINISHES VARY.












GRANO® TRAVERTINE

A PERFECT BLEND OF TAUPES, TANS, AND GRAYS.







SANDBLASTED PAVERS



BULLNOSE COPING
*ALSO AVAILABLE IN STRAIGHT EDGE



SPLITFACE VENEER
*CORNERS AVAILABLE



BAMBOO VENEER

PAVER SIZES

 $16"x24"x1\ 3/16" \bullet 24"x24"x1\ 3/16" \bullet 24"x36"x1\ 3/16" \\ 8" French Pattern x1\ 3/16" \bullet 12" Washington Pattern x1\ 3/16"$

COPING & TREAD SIZES

 $12" \times 24" \times 1 \ 3/16" \bullet 16" \times 24" \times 1 \ 3/16" \bullet 6" \times 12" \times 2.25" \bullet 12" \times 24" \times 2.25" \bullet 12" \times 36" \times 2.25" \\ 14" \times 36" \times 2.25" \bullet 16" \times 24" \times 2.25" \bullet 16" \times 36" \times 2.25" \bullet 24" \times 2.25" \bullet 24" \times 2.25" \\ \bullet 24" \times 2.25" \bullet 24" \times 2.25" \bullet 24" \times 2.25" \\ \bullet 24" \times 2.25" \bullet 24" \times 2.25" \\ \bullet 24" \times 2.25" \bullet 24" \times 2.25" \\ \bullet 24" \times 2.25" \bullet 24" \times 2.25" \\ \bullet 25" \times 2.25" \\ \bullet 2$

SPLITFACE SIZE		
4" H x Random	• 6" H x Random	

BAMBOO SIZ	ZE
12"x24"x5/	8"

SLAB OPTIONS AVAILABLE - SIZES AND FINISHES VARY.

*ADDITIONAL SIZES ARE CUSTOM ORDERS. FOR AVAILABILITY ON OUR PRODUCTS, PLEASE CONTACT US.











GRANO® SILVER TRAVERTINE

VARIOUS SHADES OF GRAY AND BEIGE WITH HINTS OF GOLD.



ANTIQUED PAVERS



STRAIGHT EDGE COPING
*ALSO AVAILABLE IN BULLNOSE



BAMBOO VENEER



SPLITFACE WALL BLOCKS



ANTIQUED DRIVEWAY PAVERS
*ALSO AVAILABLE IN RECLAIMED



IRREGULAR TREADS



DIMENSIONAL TREADS


PAVER SIZES

8" x 16" x 1 3/16" • 16" x 24" x 1 3/16" • 24" x 24" x 1 3/16" 24" x 36" x 1 3/16" • 8" French Pattern x 1 3/16" 12" Washington Pattern x 1 3/16"

COPING & TREAD SIZES


12"x24"x13/16" • 16"x24"x13/16" • 6"x12"x2.25" • 12"x24"x2.25" 12"x36"x2.25" • 14"x36"x2.25" • 16"x24" x2.25" • 16"x36" x2.25" 24"x24" x2.25" • 24"x36"x2.25"

BAMBOO SIZE	SPLITFACE WALL BLOCK	DRIVEWAY PAVERS SIZES	IRREGULAR TREAD SIZE	DIMENSIONAL TREAD SIZE
12"x24"x5/8"	6" H x 8" D x Random	6" x 12" x 2.25" • Gateway Pattern₀	15"-24"W x 42"-48"L x 6"H	14"W x 48"L x 6" H











AVENA® TRAVERTINE

A PERFECT COMBINATION OF CREAMY BEIGE AND HINTS OF TAN.



ANTIQUED PAVERS



BRUSHED PAVERS
CUSTOM ORDER ONLY (NON-STOCK)



BULLNOSE COPING
*ALSO AVAILABLE IN STRAIGHT EDGE



SPLITFACE VENEER
*CORNERS AVAILABLE

PAVER SIZES

 $8"x16"x1\ 3/16" \cdot 16"x24"x1\ 3/16" \cdot 24"x24"x1\ 3/16"$ $24"x36"x1\ 3/16" \cdot 8"$ French Pattern x1 3/16"

COPING & TREAD SIZES

12"x24"x1 3/16" • 16"x24"x1 3/16" • 6"x12"x2.25" • 12"x24"x2.25" • 12"x36"x2.25" 14"x36"x2.25" • 16"x24"x2.25" • 16"x36"x2.25" • 24"x24"x2.25" • 24"x36"x2.25"


SPLITFACE SIZE

4" H x Random

SLAB OPTIONS AVAILABLE - SIZES AND FINISHES VARY.













TAKOMA SILVER® TRAVERTINE

COSMIC SWIRLS OF GRAYS AND TAUPES.



ANTIQUED PAVERS



STRAIGHT EDGE COPING *ALSO AVAILABLE IN BULLNOSE



SPLITFACE VENEER
*CORNERS AVAILABLE

PAVER SIZES

6"x12"x1 3/16" • 8"x16"x1 3/16" 16"x24"x1 3/16" • 8" French Pattern x 1 3/16"

COPING & TREAD SIZES


 $12"x24"x1\ 3/16" \bullet 16"x24"x1\ 3/16" \bullet 6"x12"x2" \bullet 12"x24"x2" \\ 12"x36"x2" \bullet 14"x36"x2" \bullet 16"x24"x2" \bullet 16"x36"x2" \bullet 24"x24"x2" \bullet 24"x36"x2"$

SPLITFACE SIZE

4" H x Random • 3"-6"-9" H x Random

SLAB OPTIONS AVAILABLE - SIZES AND FINISHES VARY.

*ADDITIONAL SIZES ARE CUSTOM ORDERS. FOR AVAILABILITY ON OUR PRODUCTS, PLEASE CONTACT US.









KARBON® GRANITE

SOLID CHARCOAL WITH SUBTLE DASH OF GRAY AND CONSTELLATIONS OF WHITE



WATER BLASTED



STRAIGHT EDGE COPING



DIMENSIONAL TREADS

PAVER SIZES

12"x24"x1 3/16" • 24"x24""x1 3/16" • 24"x36"x1 3/16" 24"x48"x1 3/16" • 12" Washington Pattern x 1 3/16"

COPING & TREAD SIZES


12"x48"x2" • 12"x72"x2" • 14"x72"x2" • 16"x72"x2" 24"x24"x2" • 24"x48"x2" • 30"x48"x2"

DIMENSIONAL TREAD SIZE


16"W x 48"L x 6" H

*ADDITIONAL SIZES ARE CUSTOM ORDERS. FOR AVAILABILITY ON OUR PRODUCTS, PLEASE CONTACT US.


ACCESSORIES







L CORNERS






















SKIMMER & JET COVERS












COVER BOX COPING



POOL TILE








EDGING

CUSTOM FABRICATION







COUNTERTOPS







RADIUS















MEDALLIONS








FIRE PITS










ZERO CUT CONCEPT®

POOL TYPES



THE CONCEPT

Simplify the process of measuring, templating, fabricating, and installing natural stone products.

THE PROCESS

Once a Marmiro Stones® team member completes a digital template on-site, a computer program designed layout based upon site measurements is created. Designs are based upon visual balance, look, and the customer's budget. Each thought-out piece is adjusted to create minimal to zero cuts for installers, taking into account the grout joint, overhang, and fine details. Once the client approves their design, custom pieces are cut in house by our state of the art advanced machinery, followed by a final inspection and custom packaging by our team. A labeled map is provided with each shipment for installation accuracy and assistance.

THE BENEFIT

Effortless installation, saves time, cost, physical labor, no cuts, eliminates waste and results in a symmetrical & aesthetically pleasing design.







HEAT TESTING

Testing took place in Carlstadt, New Jersey. On July 16, 2019, the temperature was 95°, and on August 5, 2019, the temperature was 80°. Our products were tested in direct sunlight for the duration of both days. This chart gives a range of temperatures for each product and finish.

Crema Eda _® Antiqued Finish Sandblasted Finish Sandblasted Enhanced		Grano® Antiqued Finish Sandblasted Finish Sandblasted Enhanced
Crema Eda_® Rosa Antiqued Finish		Grano _® Silver Antiqued Finish
Sandblasted Finish Sandblasted Enhanced	•	Avena Antiqued Finish
Afyon Cloud® Antiqued Finish Sandblasted Finish	*	Crema Oliva。 Antiqued Finish Sandblasted Finish
Sandblasted Enhanced	***	Titanium Sandblasted Finish
Deep Blue Antiqued Finish		Sandblasted Enhanced 🌼
Sandblasted Finish Sandblasted Enhanced	*	Orcca。 Vintage Finish
Terra Antiqued Finish		Karbon _® Waterblasted Finish
Takoma Silver _® Antiqued Finish		95° - 110° 110° - 125° 125° - 140°

HEAT TESTING DISCLAIMER

The following product and installation information is provided to assist Marmiro's customers with installation, maintenance and usage decisions. The heat testing information is intended to be strictly illustrative as it pertains to ranges of temperature measured on July 16, 2019 and August 5, 2019 in Carlstadt, New Jersey and is not to be solely relied upon by the customer in choosing the most appropriate product for a given project. These tests were conducted by Marmiro Stones using a laser temperature gun in its own facilities, which remain separate and apart from a thermal testing laboratory. It is understood that the installation, maintenance, and usage employed by each customer is outside the direction and control of Marmiro Stones and as such, is strictly and completely the choice and responsibility of each customer and their installer. It is important to note that the temperatures illustrated in this chart will vary based on these factors. Marmiro Stones expressly disclaims any and all asserted claims which may arise directly from information contained in this document(s), including but not limited to, loss of rights, materials, personal injury, or other potential injury. Incorporated by reference are all terms and conditions located within this cataloge.

PERMEABLE PAVEMENT SYSTEM

STANDARD TEST METHOD BELOW IS ASTM C1781 FOR SURFACE INFILTRATION RATE OF PERMEABLE UNIT PAVEMENT SYSTEMS.

STONE TYPE	STONE FINISH	PATTERN	STONE THICKNESS	ADDITIONAL INFORMATION	INFILTRATION RATE INCH PER HOUR
MARBLE	ANTIQUED	FRENCH PATTERN	1 3/16"	TIGHT JOINT	719.2 IN. / HR.
MARBLE	SANDBLASTED	FRENCH PATTERN	1 3/16"	TIGHT JOINT	378.9 IN. / HR.
MARBLE	ANTIQUED	6"X12" HERRINGBONE	2.25"	1/4" JOINT	451.8 IN. / HR.
MARBLE	SANDBLASTED	FRENCH PATTERN	1 3/16"	1/4" JOINT	587.4 IN. / HR.
MARBLE	SANDBLASTED	24"x24", 16"x16" 12"x12", STACKED BOND	1 3/16"	1/4" JOINT	597.3 IN. / HR.
TRAVERTINE	ANTIQUED	16"X24", 12"X24" RUNNING BOND 24"x24"	1 3/16"	1/4" JOINT	719.2 IN. / HR.
TRAVERTINE	RECLAIMED	GATEWAY PATTERN®	2.25"	1/4" JOINT	503.5 IN. / HR.
MARBLE	SANDBLASTED	16"X24", 12"X24" 24"x24" RUNNING BOND	1 3/16"	3/8" JOINT	489.5 IN. / HR.
TRAVERTINE	ANTIQUED	24"x24", 16"x16" 12"x12", STACKED BOND	1 3/16"	3/8" JOINT	597.3 IN. / HR.
GRANITE	WATER BLASTED	4"X4" RUNNING BOND	2"	1/4" JOINT	881.0 IN. / HR.

DISCLAIMER

Marmiro Stones, Inc. has no control over the buyer's selection or use of any stone. Prior to using or permitting the use of our products, the buyer must determine the suitability of the products for the intended use and assumes all risk and liability whatsoever in connection therewith. The buyer must also determine the slip resistance suitability and maintainability as Marmiro Stones, Inc. is not responsible for any losses or damages sustained by the buyer, or any other person, as a result of improper installation or misapplication of our products. Please refer to the ASTM standards for more specific information concerning stone or paver specifications. Marmiro Stones, Inc. and its agents and employees are held harmless against any loss, damage, claim, suit, liability, judgement, or expense arising out of, or in connection with, any injury, damage, or loss to any property, or violation of any applicable laws or regulations resulting from, or in connection with, the sale, transportation, installation, or use of our products by the buyer.

TECHNICAL SPECIFICATIONS

Compressive Strength ASTM - C170

Sample	Antiqued	Sandblasted
Crema Eda® Marble	13,453 psi	12,080 psi
Crema Eda® Rosa Marble	12,675 psi	13,434 psi
Afyon Cloud® Marble	10,968 psi	10,208 psi
Deep Blue® Marble	12,082 psi	11,929 psi
Terra Travertine	8,645 psi	N/A
Grano® Travertine	7,891 psi	7,945 psi
Grano® Silver Travertine	7,891 psi	N/A
Avena® Travertine	9,287 psi	N/A
Takoma Silver® Travertine	11,639 psi	N/A
Crema Oliva® Limestone	15,110 psi	14,868 psi
Karbon® Granite (Water Blasted)	N/A	19,535 psi
Orcca® Limestone (Vintage)	N/A	14,933 psi
Titanium Marble	N/A	12,589 psi

Flexural Strength ASTM - C880

Sample	Antiqued	Sandblasted
Crema Eda® Marble	N/A	1,284 psi
Crema Eda® Rosa Marble	N/A	1,466 psi
Afyon Cloud® Marble	N/A	1,308 psi
Deep Blue® Marble	N/A	1,878 psi
Terra Travertine	1,878 psi	N/A
Grano® Travertine	1,587 psi	N/A
Grano® Silver Travertine	1,587 psi	N/A
Avena® Travertine	1,232 psi	N/A
Takoma Silver® Travertine	1,364 psi	N/A
Crema Oliva® Limestone	N/A	2,341 psi
Karbon® Granite (Water Blasted)	N/A	1,429 psi
Orcca® Limestone (Vintage)	N/A	2,083 psi
Titanium Marble	N/A	1,475 psi

Co-Efficient of Friction ASTM - C1028 (Antiqued Stones)

Sample	Antiqued Dry	Antiqued Wet
Crema Eda® Marble	0.74	0.87
Crema Eda® Rosa Marble	0.74	0.87
Afyon Cloud® Marble	0.74	0.83
Deep Blue® Marble	0.77	0.87
Terra Travertine	0.70	0.89
Grano® Travertine	0.76	0.92
Grano® Silver Travertine	0.76	0.92
Avena® Travertine	0.80	0.80
Takoma Silver® Travertine	0.80	0.80
Crema Oliva® Limestone	0.70	0.70
Karbon® Granite (Water Blasted)	N/A	N/A
Orcca® Limestone (Vintage)	N/A	N/A
Titanium Marble	N/A	N/A

DISCLAIMER

Marmiro Stones, Inc. has no control over the buyer's selection or use of any stone. Prior to using or permitting the use of our products, the buyer must determine the suitability of the products for the intended use and assumes all risk and liability whatsoever in connection therewith. The buyer must also determine the slip resistance suitability and maintainability as Marmiro Stones, Inc. is not responsible for any losses or damages sustained by the buyer, or any other person, as a result of improper installation or misapplication of our products. Please refer to the ASTM standards for more specific information concerning stone or paver specifications. Marmiro Stones, Inc. and its agents and employees are held harmless against any loss, damage, claim, suit, liability, judgement, or expense arising out of, or in connection with, any injury, damage, or loss to any property, or violation of any applicable laws or regulations resulting from, or in connection with, the sale, transportation, installation, or use of our products by the buyer.

Co-Efficient of Friction ASTM - C1028 (Sandblasted Stones)

Sample	Sandblasted Dry	Sandblasted Wet
Crema Eda® Marble	0.91	0.87
Crema Eda® Rosa Marble	0.89	0.95
Afyon Cloud® Marble	0.97	1.04
Deep Blue® Marble	0.99	0.87
Terra Travertine	N/A	N/A
Grano® Travertine	1.0	0.96
Grano® Silver Travertine	N/A	N/A
Avena® Travertine	N/A	N/A
Takoma Silver® Travertine	N/A	N/A
Crema Oliva® Limestone	0.7	0.8
Karbon® Granite (Water Blasted)	0.9	0.9
Orcca® Limestone (Vintage)	0.8	0.8
Titanium Marble	0.8	0.9
Freeze and Thaw ASTM - C666		
Sample	Results	Notes
Crema Eda® Marble	Pass	No cracks or deformations noted.
Crema Eda® Rosa Marble	Pass	No cracks or deformations noted.
Afyon Cloud® Marble	Pass	No cracks or deformations noted.
Deep Blue® Marble	Pass	No cracks or deformations noted.
Terra Travertine	Pass	No cracks or deformations noted.
Grano® Travertine	Pass	No cracks or deformations noted.
Grano® Silver Travertine	Pass	No cracks or deformations noted.
Avena® Travertine	Pass	No cracks or deformations noted.
Takoma Silver® Travertine	Pass	No cracks or deformations noted.
Crema Oliva® Limestone	Pass	No cracks or deformations noted.
Karbon® Granite (Water Blasted)	Pass	No cracks or deformations noted.
Orcca® Limestone (Vintage)	Pass	No cracks or deformations noted.
Titanium Marble	Pass	No cracks or deformations noted.
Water Absorption ASTM - C97		
Sample	Antiqued Water Absorption %	Sandblasted Water Absorption %
Crema Eda® Marble	0.17	0.19
Crema Eda® Rosa Marble		
	0.17	0.16
	0.17	0.10
Afyon Cloud® Marble	0.17	0.16
Deep Blue® Marble	0.17	0.18
Deep Blue® Marble Terra Travertine	0.17 1.98	0.18 N/A
Deep Blue® Marble Terra Travertine Grano® Travertine	0.17 1.98 2.12	0.18 N/A 2.24
Deep Blue® Marble Terra Travertine Grano® Travertine Grano® Silver Travertine	0.17 1.98 2.12 2.12	0.18 N/A 2.24 N/A
Deep Blue® Marble Terra Travertine Grano® Travertine	0.17 1.98 2.12 2.12 1.71	0.18 N/A 2.24 N/A N/A
Deep Blue® Marble Terra Travertine Grano® Travertine Grano® Silver Travertine	0.17 1.98 2.12 2.12	0.18 N/A 2.24 N/A
Deep Blue® Marble Terra Travertine Grano® Travertine Grano® Silver Travertine Avena® Travertine	0.17 1.98 2.12 2.12 1.71	0.18 N/A 2.24 N/A N/A
Deep Blue® Marble Terra Travertine Grano® Travertine Grano® Silver Travertine Avena® Travertine Takoma Silver® Travertine	0.17 1.98 2.12 2.12 1.71 0.52	0.18 N/A 2.24 N/A N/A
Deep Blue® Marble Terra Travertine Grano® Travertine Grano® Silver Travertine Avena® Travertine Takoma Silver® Travertine Crema Oliva® Limestone	0.17 1.98 2.12 2.12 1.71 0.52 0.60	0.18 N/A 2.24 N/A N/A N/A 0.44
Deep Blue® Marble Terra Travertine Grano® Travertine Grano® Silver Travertine Avena® Travertine Takoma Silver® Travertine Crema Oliva® Limestone Karbon® Granite (Water Blasted)	0.17 1.98 2.12 2.12 1.71 0.52 0.60 N/A	0.18 N/A 2.24 N/A N/A N/A 0.44 0.11
Deep Blue® Marble Terra Travertine Grano® Travertine Grano® Silver Travertine Avena® Travertine Takoma Silver® Travertine Crema Oliva® Limestone Karbon® Granite (Water Blasted) Orcca® Limestone (Vintage) Titanium Marble	0.17 1.98 2.12 2.12 1.71 0.52 0.60 N/A N/A	0.18 N/A 2.24 N/A N/A N/A 0.44 0.11 2.90
Deep Blue® Marble Terra Travertine Grano® Travertine Grano® Silver Travertine Avena® Travertine Takoma Silver® Travertine Crema Oliva® Limestone Karbon® Granite (Water Blasted) Orcca® Limestone (Vintage) Titanium Marble Density ASTM - C97	0.17 1.98 2.12 2.12 1.71 0.52 0.60 N/A N/A	0.18 N/A 2.24 N/A N/A N/A 0.44 0.11 2.90 0.20
Deep Blue® Marble Terra Travertine Grano® Travertine Grano® Silver Travertine Avena® Travertine Takoma Silver® Travertine Crema Oliva® Limestone Karbon® Granite (Water Blasted) Orcca® Limestone (Vintage) Titanium Marble Density ASTM - C97 Sample	0.17 1.98 2.12 2.12 1.71 0.52 0.60 N/A N/A N/A N/A N/A N/A	0.18 N/A 2.24 N/A N/A N/A 0.44 0.11 2.90 0.20 Sandblasted Density
Deep Blue® Marble Terra Travertine Grano® Travertine Grano® Silver Travertine Avena® Travertine Takoma Silver® Travertine Crema Oliva® Limestone Karbon® Granite (Water Blasted) Orcca® Limestone (Vintage) Titanium Marble Density ASTM - C97 Sample Crema Eda® Marble	0.17 1.98 2.12 2.12 1.71 0.52 0.60 N/A N/A N/A N/A N/A N/A Antiqued Density 168.5 lbs/ft³	0.18 N/A 2.24 N/A N/A N/A 0.44 0.11 2.90 0.20 Sandblasted Density 167.4 lbs/ft³
Deep Blue® Marble Terra Travertine Grano® Travertine Grano® Silver Travertine Avena® Travertine Takoma Silver® Travertine Crema Oliva® Limestone Karbon® Granite (Water Blasted) Orcca® Limestone (Vintage) Titanium Marble Density ASTM - C97 Sample Crema Eda® Marble Crema Eda® Rosa Marble	0.17 1.98 2.12 2.12 1.71 0.52 0.60 N/A N/A N/A N/A N/A 1.054 Antiqued Density 168.5 bs/ft³ 168.3 bs/ft³	0.18 N/A 2.24 N/A N/A N/A N/A 0.44 0.11 2.90 0.20 Sandblasted Density 167.4 lbs/ft³ 169.3 lbs/ft³
Deep Blue® Marble Terra Travertine Grano® Travertine Grano® Silver Travertine Avena® Travertine Takoma Silver® Travertine Crema Oliva® Limestone Karbon® Granite (Water Blasted) Orcca® Limestone (Vintage) Titanium Marble Density ASTM - C97 Sample Crema Eda® Marble Crema Eda® Rosa Marble Afyon Cloud® Marble	0.17 1.98 2.12 2.12 1.71 0.52 0.60 N/A N/A N/A N/A 10/A N/A 168.5 lbs/ft³ 168.3 lbs/ft³ 162.4 lbs/ft³	0.18 N/A 2.24 N/A N/A N/A N/A 0.44 0.11 2.90 0.20 Sandblasted Density 167.4 lbs/ft³ 169.3 lbs/ft³ 164.2 lbs/ft³
Deep Blue® Marble Terra Travertine Grano® Travertine Grano® Silver Travertine Avena® Travertine Takoma Silver® Travertine Crema Oliva® Limestone Karbon® Granite (Water Blasted) Orcca® Limestone (Vintage) Titanium Marble Density ASTM - C97 Sample Crema Eda® Marble Crema Eda® Rosa Marble Afyon Cloud® Marble Deep Blue® Marble	0.17 1.98 2.12 2.12 1.71 0.52 0.60 N/A N/A N/A N/A 168.5 lbs/ft³ 168.3 lbs/ft³ 162.4 lbs/ft³ 163.8 lbs/ft³	0.18 N/A 2.24 N/A N/A N/A N/A N/A 0.44 0.11 2.90 0.20 Sandblasted Density 167.4 lbs/ft³ 169.3 lbs/ft³ 164.2 lbs/ft³ 167.4 lbs/ft³
Deep Blue® Marble Terra Travertine Grano® Travertine Grano® Silver Travertine Avena® Travertine Takoma Silver® Travertine Crema Oliva® Limestone Karbon® Granite (Water Blasted) Orcca® Limestone (Vintage) Titanium Marble Density ASTM - C97 Sample Crema Eda® Marble Crema Eda® Rosa Marble Afyon Cloud® Marble Deep Blue® Marble Terra Travertine	0.17 1.98 2.12 2.12 1.71 0.52 0.60 N/A N/A N/A N/A N/A 168.5 lbs/ft³ 168.3 lbs/ft³ 162.4 lbs/ft³ 163.8 lbs/ft³ 153.1 lbs/ft³	0.18 N/A 2.24 N/A N/A N/A N/A N/A 0.44 0.11 2.90 0.20 Sandblasted Density 167.4 lbs/ft³ 169.3 lbs/ft³ 164.2 lbs/ft³ 167.4 lbs/ft³ N/A
Deep Blue® Marble Terra Travertine Grano® Travertine Grano® Silver Travertine Avena® Travertine Takoma Silver® Travertine Crema Oliva® Limestone Karbon® Granite (Water Blasted) Orcca® Limestone (Vintage) Titanium Marble Density ASTM - C97 Sample Crema Eda® Marble Crema Eda® Rosa Marble Afyon Cloud® Marble Deep Blue® Marble Terra Travertine Grano® Travertine	0.17 1.98 2.12 2.12 1.71 0.52 0.60 N/A N/A N/A N/A Antiqued Density 168.5 lbs/ft³ 168.3 lbs/ft³ 162.4 lbs/ft³ 163.8 lbs/ft³ 153.1 lbs/ft³ 154.7 lbs/ft³	0.18 N/A 2.24 N/A N/A N/A N/A 0.44 0.11 2.90 0.20 Sandblasted Density 167.4 lbs/ft³ 169.3 lbs/ft³ 164.2 lbs/ft³ 167.4 lbs/ft³ N/A 152.0 lbs/ft³
Deep Blue® Marble Terra Travertine Grano® Travertine Grano® Silver Travertine Avena® Travertine Takoma Silver® Travertine Crema Oliva® Limestone Karbon® Granite (Water Blasted) Orcca® Limestone (Vintage) Titanium Marble Density ASTM - C97 Sample Crema Eda® Marble Crema Eda® Rosa Marble Afyon Cloud® Marble Deep Blue® Marble Terra Travertine Grano® Travertine Grano® Silver Travertine	0.17 1.98 2.12 2.12 1.71 0.52 0.60 N/A N/A N/A N/A Solvation Antiqued Density 168.5 lbs/ft³ 168.3 lbs/ft³ 162.4 lbs/ft³ 163.8 lbs/ft³ 153.1 lbs/ft³ 154.7 lbs/ft³ 154.7 lbs/ft³	0.18 N/A 2.24 N/A N/A N/A N/A N/A 0.44 0.11 2.90 0.20 Sandblasted Density 167.4 lbs/ft³ 169.3 lbs/ft³ 164.2 lbs/ft³ 167.4 lbs/ft³ N/A 152.0 lbs/ft³ N/A
Deep Blue® Marble Terra Travertine Grano® Travertine Grano® Silver Travertine Avena® Travertine Takoma Silver® Travertine Crema Oliva® Limestone Karbon® Granite (Water Blasted) Orcca® Limestone (Vintage) Titanium Marble Density ASTM - C97 Sample Crema Eda® Marble Crema Eda® Rosa Marble Afyon Cloud® Marble Deep Blue® Marble Terra Travertine Grano® Travertine Grano® Silver Travertine Avena® Travertine	0.17 1.98 2.12 2.12 1.71 0.52 0.60 N/A N/A N/A N/A Antiqued Density 168.5 lbs/ft³ 168.3 lbs/ft³ 162.4 lbs/ft³ 163.8 lbs/ft³ 153.1 lbs/ft³ 154.7 lbs/ft³ 154.7 lbs/ft³ 154.8 lbs/ft³	0.18 N/A 2.24 N/A N/A N/A N/A 0.44 0.11 2.90 0.20 Sandblasted Density 167.4 lbs/ft³ 169.3 lbs/ft³ 164.2 lbs/ft³ 167.4 lbs/ft³ N/A 152.0 lbs/ft³ N/A N/A
Deep Blue® Marble Terra Travertine Grano® Travertine Grano® Silver Travertine Avena® Travertine Takoma Silver® Travertine Crema Oliva® Limestone Karbon® Granite (Water Blasted) Orcca® Limestone (Vintage) Titanium Marble Density ASTM - C97 Sample Crema Eda® Marble Crema Eda® Rosa Marble Afyon Cloud® Marble Deep Blue® Marble Terra Travertine Grano® Travertine Grano® Silver Travertine Takoma Silver® Travertine	0.17 1.98 2.12 2.12 1.71 0.52 0.60 N/A N/A N/A N/A Antiqued Density 168.5 lbs/ft³ 168.3 lbs/ft³ 162.4 lbs/ft³ 163.8 lbs/ft³ 153.1 lbs/ft³ 154.7 lbs/ft³ 154.7 lbs/ft³ 145.8 lbs/ft³ 145.8 lbs/ft³	0.18 N/A 2.24 N/A N/A N/A N/A 0.44 0.11 2.90 0.20 Sandblasted Density 167.4 lbs/ft³ 169.3 lbs/ft³ 164.2 lbs/ft³ 167.4 lbs/ft³ N/A 152.0 lbs/ft³ N/A N/A N/A N/A
Deep Blue® Marble Terra Travertine Grano® Travertine Grano® Silver Travertine Avena® Travertine Takoma Silver® Travertine Crema Oliva® Limestone Karbon® Granite (Water Blasted) Orcca® Limestone (Vintage) Titanium Marble Density ASTM - C97 Sample Crema Eda® Marble Crema Eda® Rosa Marble Afyon Cloud® Marble Deep Blue® Marble Terra Travertine Grano® Silver Travertine Avena® Travertine Takoma Silver® Travertine Crema Oliva® Limestone	0.17 1.98 2.12 2.12 2.12 1.71 0.52 0.60 N/A N/A N/A N/A N/A Antiqued Density 168.5 lbs/ft³ 168.3 lbs/ft³ 162.4 lbs/ft³ 163.8 lbs/ft³ 153.1 lbs/ft³ 154.7 lbs/ft³ 154.7 lbs/ft³ 154.8 lbs/ft³ 165.8 lbs/ft³ 165.8 lbs/ft³	0.18 N/A 2.24 N/A N/A N/A N/A 0.44 0.11 2.90 0.20 Sandblasted Density 167.4 lbs/ft³ 169.3 lbs/ft³ 164.2 lbs/ft³ 167.4 lbs/ft³ 167.4 lbs/ft³ N/A 152.0 lbs/ft³ N/A N/A N/A N/A N/A N/A N/A 162.1 lbs/ft³
Deep Blue® Marble Terra Travertine Grano® Travertine Grano® Silver Travertine Avena® Travertine Takoma Silver® Travertine Crema Oliva® Limestone Karbon® Granite (Water Blasted) Orcca® Limestone (Vintage) Titanium Marble Density ASTM - C97 Sample Crema Eda® Marble Crema Eda® Rosa Marble Afyon Cloud® Marble Deep Blue® Marble Terra Travertine Grano® Travertine Grano® Silver Travertine Avena® Travertine Takoma Silver® Travertine Crema Oliva® Limestone Karbon® Granite (Water Blasted)	0.17 1.98 2.12 2.12 1.71 0.52 0.60 N/A N/A N/A N/A N/A Antiqued Density 168.5 lbs/ft³ 168.3 lbs/ft³ 162.4 lbs/ft³ 163.8 lbs/ft³ 154.7 lbs/ft³ 154.7 lbs/ft³ 145.8 lbs/ft³ 145.8 lbs/ft³ 162.8 lbs/ft³ 162.8 lbs/ft³	0.18 N/A 2.24 N/A N/A N/A N/A N/A 0.44 0.11 2.90 0.20 Sandblasted Density 167.4 lbs/ft³ 169.3 lbs/ft³ 164.2 lbs/ft³ 167.4 lbs/ft³ N/A 152.0 lbs/ft³ N/A N/A N/A N/A N/A N/A N/A 162.1 lbs/ft³ 176.8 lbs/ft³
Deep Blue® Marble Terra Travertine Grano® Travertine Grano® Silver Travertine Avena® Travertine Takoma Silver® Travertine Crema Oliva® Limestone Karbon® Granite (Water Blasted) Orcca® Limestone (Vintage) Titanium Marble Density ASTM - C97 Sample Crema Eda® Marble Crema Eda® Rosa Marble Afyon Cloud® Marble Deep Blue® Marble Terra Travertine Grano® Silver Travertine Avena® Travertine Takoma Silver® Travertine Crema Oliva® Limestone	0.17 1.98 2.12 2.12 2.12 1.71 0.52 0.60 N/A N/A N/A N/A N/A Antiqued Density 168.5 lbs/ft³ 168.3 lbs/ft³ 162.4 lbs/ft³ 163.8 lbs/ft³ 153.1 lbs/ft³ 154.7 lbs/ft³ 154.7 lbs/ft³ 154.8 lbs/ft³ 165.8 lbs/ft³ 165.8 lbs/ft³	0.18 N/A 2.24 N/A N/A N/A N/A 0.44 0.11 2.90 0.20 Sandblasted Density 167.4 lbs/ft³ 169.3 lbs/ft³ 164.2 lbs/ft³ 167.4 lbs/ft³ 167.4 lbs/ft³ N/A 152.0 lbs/ft³ N/A N/A N/A N/A N/A N/A N/A 162.1 lbs/ft³

RESOURCE CENTER





DESIGN CONSULTATIONS
TECHNICAL SUPPORT
MOBILE SHOWROOMS
CONTINUING EDUCATION

VISIT OUR DESIGN STUDIOS

CONVENIENTLY LOCATED IN: CARLSTADT, NJ • WATER MILL, NY, • CROSSVILLE, TN

*WE ARE BY APPOINTMENT ONLY,
FOR A ONE-ON-ONE DESIGN EXPERIENCE.











Natural Stone Disclaimer

Stones, including but not limited to marble, limestone and travertine, are a natural product and as such contain variations in color, veining and shading. Some stone will contain inclusions, pits or fissures as a result of its geological formation. The actual stone delivered may differ from the sample shown. Samples are used as a representation of the final product and will not be an exact match. When and where the product is quarried will affect the color.

These qualities are inherent in the nature of the natural stone product and are not in any way considered to be latent defects. As such, Marmiro Stones, Inc. is not responsible for differences from one stone to another and shall not be held liable in regards to any differentiation from technical specifications which cannot be exact when involving a natural stone product as of customer installation.

Some materials are porous in nature and while highly resistant to staining and scratching can be subject to both. Marmiro Stones, Inc. makes no warranties implied or expressed as to stain resistance or imperviousness of the products to scratching.

All products should be unpacked and inspected prior to installation, as Marmiro Stones, Inc. cannot accept any claims after material has been installed or altered. The appearance of the stone in the final product is also affected by the job design, workmanship, sealer, bond pattern, joint finish, and cleaning method. Please refer to the ASTM standards (formerly known as American Society for Testing and Materials) for more specific information concerning stone and paver specifications.

Marmiro Stones, Inc. has no control over the customer's selection or use of any stone. Prior to using or permitting the use of our products, the customer must determine the suitability of the products for the intended use and assumes all risk and liability whatsoever in connection therewith. The customer must also determine slip resistance, suitability and maintainability, as Marmiro Stones, Inc. is not responsible for any losses or damages sustained by the customer, or any other person, as a result of improper installation or misapplication of our products.

Marmiro Stones Inc. will not warrant any defects that could have been prevented by the customer, such as improper storage, installation and/or improper handling, preparation or cleaning by anyone not directly employed by Marmiro Stones Inc., including but not limited to customer, customer's contractor, sub-contractor and/or agent and the like.

We are not responsible for any damage sustained during installation or removal, labor nor any non-Marmiro products used with our product. We do not warrant any defects due to modification, alteration or service performed by anyone other than Marmiro Stones Inc.'s direct employees.

Marmiro Stones, Inc. stands by and takes great pride in its products. We refer you to our Resources tab at www.marmiro.com. We can provide you with a printout upon request. Contact us with any questions or concerns.







BY TURAN BEKISOGLU

US HEADQUARTERS / DESIGN STUDIO

790 WASHINGTON AVE CARLSTADT, NJ 07072
BY APPOINTMENT ONLY

DESIGN STUDIO TN

210 MARYETTA ST CROSSVILLE, TN 38555 BY APPOINTMENT ONLY **DESIGN STUDIO NY**

910 MONTAUK HWY WATER MILL, NY 11976 BY APPOINTMENT ONLY

MARMIRO® LOCATIONS

NEW JERSEY
NEW YORK
MARYLAND
NORTH CAROLINA
TENNESSEE

CONTACT US:

201-933-6461

INFO@MARMIRO.COM

SUPPORT@MARMIRO.COM





@marmirostones